



**GR**  
**GORMAN-RUPP**  
**PUMPS**

# SEWAGE PUMPING STATIONS


## 6×6 ABOVE GROUND

The 6×6 above ground lift station is a fully customizable, compact, pre-engineered unit shipped complete from the factory. Just add power and connect piping.

Outside, the neat, trim low-silhouette fiberglass cover blends with its surroundings. Fiberglass enclosure resists corrosion and provides protection from weather.

Removable or hinged door panel provides easy access to pumps and robust NEMA controls for maintenance and service as well as vandal-resistant design for added security.

The 6×6 fiberglass enclosure accommodates two Super T Series® or Ultra V Series® pumps with motors sized to meet your requirements. Depending on pump model, pumps are available in 2" to 6" sizes with capacities from 50 to 1300 GPM on single pump operation up to 25 HP.



**THE GORMAN-RUPP COMPANY, MANSFIELD DIVISION** | P.O. Box 1217, Mansfield, Ohio 44901-1217, USA • Tel: 419-755-1011 • Fax: 419-755-1208 • E-mail: [grsales@gormanrupp.com](mailto:grsales@gormanrupp.com)  
**GORMAN-RUPP INTERNATIONAL** | P.O. Box 1217, Mansfield, Ohio 44901-1217, USA • Tel: 419-755-1011 • Fax: 419-755-1266 • E-mail: [intsales@gormanrupp.com](mailto:intsales@gormanrupp.com)  
**GORMAN-RUPP OF CANADA, LTD.** | 70 Burwell Road, St. Thomas, Ontario N5P 3R7, Canada • Tel: 519-631-2870 • Fax: 519-631-4624 • E-mail: [grcanada@grcanada.com](mailto:grcanada@grcanada.com)

**GRpumps.com**

©2008-2009 The Gorman-Rupp Company. All rights reserved. Printed in the USA. Product information is subject to change; consult factory for details.





# SEWAGE PUMPING STATIONS

## RELIASOURCE™ 6X6T ABOVE GROUND


The ReliaSource™ 6x6T above ground lift station is the newest addition to the Gorman-Rupp line of fully customizable, compact and pre-engineered packaged stations. This unit comes standard with all the existing features of the 6x6, but with an additional 3' of height allows for more options. The new configuration accommodates more sophisticated controls like Reduced Voltage Solid State (RVSS) Starters and Variable Frequency Drives (VFDs). The added space also allows for easier access to routine maintenance items, such as check valves, plug valves, gauges and air release valves.

The ReliaSource 6x6T comes standard with two removable side door panels which provide easy access to pumps and motors. Incorporated into the design are split opening doors on the pump suction and control side of the station. The new door arrangement is configured with the bottom half opening to the side (similar to the classic 6x6) and the upper gas-shocked, hinged door lifting overhead. This half also serves as an awning offering protection from the elements during maintenance.

The ReliaSource 6x6T fiberglass enclosure accommodates two Super T Series® 2" to 6" pumps or two Ultra V Series® pumps up to 4". The taller enclosure allows for increased hydraulic capabilities with flows to 1475 GPM and pressure to 160' TDH, as well as motors to 50 HP.



With over 40 years of station building experience, you can rely on Gorman-Rupp's expertise throughout the project planning process. And since this entire station was built and tested at our facility, it bears the ReliaSource name and boasts an industry-leading 60 month warranty.



**THE GORMAN-RUPP COMPANY, MANSFIELD DIVISION** | P.O. Box 1217, Mansfield, Ohio 44901-1217, USA • Tel: 419-755-1011 • Fax: 419-755-1208 • E-mail: [grsales@gormanrupp.com](mailto:grsales@gormanrupp.com)  
**GORMAN-RUPP INTERNATIONAL** | P.O. Box 1217, Mansfield, Ohio 44901-1217, USA • Tel: 419-755-1011 • Fax: 419-755-1266 • E-mail: [intsales@gormanrupp.com](mailto:intsales@gormanrupp.com)  
**GORMAN-RUPP OF CANADA, LTD.** | 70 Burwell Road, St. Thomas, Ontario N5P 3R7, Canada • Tel: 519-631-2870 • Fax: 519-631-4624 • E-mail: [grcanada@grcanada.com](mailto:grcanada@grcanada.com)



©2008-2009 The Gorman-Rupp Company. All rights reserved. Printed in the USA. Product information is subject to change; consult factory for details.



AV-05005-75\_1009